

LED Grille Panel



Product Code	Dimension L*W[mm]	Power [W]	Input Voltage [V]	Efficiency [lm/W]	Color Temp[K]	CRI	Luminous Flux[lm]
ALPG-0606-36WE	595*595mm	36W	AC200-240V	100LM/W	4000	>80	3780
ALPG-0606-36WG	595*595mm	36W	AC200-240V	100LM/W	4000	>80	3240
ALPG-0606-36WH	595*595mm	36W	AC200-240V	100LM/W	4000	>80	2000
ALPG-0606-36WT	595*595mm	36W	AC200-240V	100LM/W	4000	>80	2900
ALPG-0606-36WS	595*595mm	36W	AC200-240V	100LM/W	4000	>80	4000
ALPG-0606-36WP	595*595mm	36W	AC200-240V	100LM/W	4000	>80	3000




Details:




■ **Beam Angle:**


60°



70°



100°




120°



Installation diagram

Step1

- | | | | | | | | |
|------------------------|--|-------------------------|--|------------------------|--|--------------|--|
| Suspending accessory ① |  X4 | Expansion rubber plug ② |  X4 | Suspending accessory ③ |  X4 | Line card ④ |  X4 |
| Suspending accessory ⑤ |  X4 | M4*30 screw ⑥ |  X4 | Steel rope ⑦ |  X4 | M4*8 screw ⑧ |  X4 |



■ Packaging diagram:

